

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

RESTRICTED USE PESTICIDE

Because pronamide has produced tumors in laboratory animals, this product is for retail sale to and use only by Certified Applicators or persons under their direct supervision, and for only those uses covered by the Certified Applicator's certification.

Kerb* 50-W Herbicide

EPA Reg. No. 62719-397

24(c) Special Local Need Registration SLN CO-990010

Dodder Control in Alfalfa Seed Crops

(For Distribution and Use Only in the State of Colorado)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Kerb* 50-W herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Kerb 50-W according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Kerb 50-W.

Active Ingredient:

pronamide: 3,5-dichloro-N-

(1,1-dimethyl-2-propynyl)-benzamide51.0%

Inert Ingredients49.0%

Total100.0%

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Harmful If Swallowed

Take special care to avoid contact with eyes, skin or clothing. Do not breathe the dust or spray mist.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants
- Waterproof gloves
- Chemical-resistant shoes plus socks
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment and mixing or loading

Clothing that has been drenched or heavily contaminated should be disposed of in accordance with State or local regulations. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standards (WPS) for agricultural pesticides [40 CFR 170.240(D)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters

Directions for Use

Before using this product, read the entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Restrictions, and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not accepted, return the product unopened within thirty days of purchase to the place of purchase.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants
- Waterproof gloves
- Chemical-resistant shoes plus socks
- Chemical-resistant headgear for overhead exposure

General Information

For effective control, Kerb 50-W herbicide must be moved into the soil either by rainfall or irrigation before the germination of dodder. Preferably, irrigation should be made within 1 to 3 days following the Kerb 50-W application, but can be delayed up to 2 weeks, if necessary provided that irrigation precedes dodder germination. If irrigation of the field treated with Kerb 50-W herbicide must be delayed, a light mechanical incorporation (maximum 1-inch depth) should follow the Kerb 50-W application and the field irrigated within two weeks.

When using flood-type or overhead sprinkler irrigation systems, the amount of irrigation following the Kerb 50-W application should not exceed one inch of water. Excess irrigation following the Kerb 50-W application and prior to germination of dodder may decrease the effectiveness of Kerb 50-W herbicide.

Dosage and Timing

For effective control, Kerb 50-W herbicide must be applied before dodder germinates. Follow directions given below depending on method of irrigation used:

Furrow Irrigation -Apply Kerb 50-W at the rate of 3.0 to 4.0 pounds of product (1.5 to 2.0 pounds active ingredient) per acre. Incorporate lightly at time of application and irrigate within seven days.

Flood Irrigation -Apply Kerb 50-W at the rate of 3.0 pounds of product (1.5 pounds active ingredient) per acre. Flood field with 0.5 to 1.0 inch of water within 1 to 3 days after application.

Overhead Sprinkler Irrigation -Use same directions as given above for flood irrigation.

Excessive amounts of irrigation water following Kerb 50-W herbicide application may adversely affect the herbicidal activity.

NOTE: If the legume crop treated with Kerb 50-W herbicide should be winter killed or otherwise destroyed, do not plant the field in the spring to small grain or grass crops since these crops may be injured from residual Kerb 50-W in the soil. For additional information see Rotation Crop Planting Chart in the General Information section of the EPA approved label supplied with the container.

Application

Mix the recommended amount of Kerb 50-W herbicide in clean water and apply uniformly with a ground sprayer at 20 to 50 gallons per acre. Use a conventional herbicide sprayer equipped with flat fan nozzles at 40 to 60 psi.

Specific Use Restrictions

The following use restrictions must be observed when Kerb 50-W is used as recommended on this label:

- Read and observe all label directions before using. All applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered product label must be followed.
- Kerb 50-W should only be applied using ground application equipment.
- **Chemigation:** Do not apply this product through any type of irrigation system.

24(c) Registrant: Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

*Trademark of Dow AgroSciences LLC

D06-156-008
Accepted: 06/21/02
Initial DAS printing.

Revisions: Renewal of Section 24(c)
for 2002.

Kerb* 50-W Herbicide

EPA Reg. No. 62719-379

Registration Notes:

Renewal of Section 24(c) labeling for 2002: Labeling for the state of Colorado entitled "Dodder Control in Alfalfa Seed Crops".